

U.S. ENVIRONMENTAL PROTECTION AGENCY
REGION 10
1200 SIXTH AVENUE
SEATTLE WASHINGTON 98101

1.1.1
No Date



M/S 329

Re: Well on Rada Sons Business Property (E. Lewis)

Redacted

The Environmental Protection Agency believes it is necessary to sample the drinking water well at the property referenced above in order to ensure that the water meets drinking water guidelines. The purpose of this letter is to request access to your property to obtain these samples. Please read, sign and return the enclosed access form to EPA as soon as possible. The completed form should be mailed to:

Lori Cohen
U.S. EPA Region 10
Mailstop 525
1200 Sixth Avenue
Seattle, WA 98101

Enclosed you will find a return envelope for this purpose.

EPA representatives, Jim Hileman and Marcia Knadle will be contacting you in order to arrange a convenient time to take these samples during the week of October 20, 1986.

If you have any questions, please call me at (206) 442-2712, or call Stan Vendetti at the Benton-Franklin District Health District at (509) 943-2614.

Thank you for your cooperation in this matter.

Sincerely,

A handwritten signature in cursive script, appearing to read "Lori Cohen".

Lori Cohen
Site Manager

Enclosure

USEPA SF



1452303



U.S. ENVIRONMENTAL PROTECTION AGENCY
REGION 10
1200 SIXTH AVENUE
SEATTLE WASHINGTON 98101

REPLY TO
ATTN: C

M/S 329

Re: Drinking Water Well

Redacted

The Environmental Protection Agency believes it is necessary to sample the drinking water well at the property referenced above in order to ensure that the water meets drinking water guidelines. The purpose of this letter is to request access to your property to obtain these samples. Please read, sign and return the enclosed access form to EPA as soon as possible. The completed form should be mailed to:

Lori Cohen
U.S. EPA Region 10
Mailstop 525
1200 Sixth Avenue
Seattle, WA 98101

Enclosed you will find a return envelope for this purpose.

EPA representatives, Jim Hileman and Marcia Knadle will be contacting you in order to arrange a convenient time to take these samples during the week of October 20, 1986.

If you have any questions, please call me at (206) 442-2712, or call Stan Vendetti at the Benton-Franklin District Health District at (509) 943-2614.

Thank you for your cooperation in this matter.

Sincerely,

[Handwritten signature]

Lori Cohen
Site Manager

Enclosure



U.S. ENVIRONMENTAL PROTECTION AGENCY
REGION 10
1200 SIXTH AVENUE
SEATTLE, WASHINGTON 98101

RECEIVED
EPA/10

M/S 329

Re: Hommes Hideway Well

Redacted

The Environmental Protection Agency believes it is necessary to sample the drinking water well at the property referenced above in order to ensure that the water meets drinking water guidelines. The purpose of this letter is to request access to your property to obtain these samples. Please read, sign and return the enclosed access form to EPA as soon as possible. The completed form should be mailed to:

Lori Cohen
U.S. EPA Region 10
Mailstop 525
1200 Sixth Avenue
Seattle, WA 98101

Enclosed you will find a return envelope for this purpose.

EPA representatives, Jim Hileman and Marcia Knadle will be contacting you in order to arrange a convenient time to take these samples during the week of October 20, 1986.

If you have any questions, please call me at (206) 442-2712, or call Stan Vendetti at the Benton-Franklin District Health District at (509) 943-2614.

Thank you for your cooperation in this matter.

Sincerely,

A handwritten signature in cursive script, appearing to read "Lori Cohen".

Lori Cohen
Site Manager

Enclosure



U.S. ENVIRONMENTAL PROTECTION AGENCY
REGION 10

1200 SIXTH AVENUE
SEATTLE, WASHINGTON 98101

REPLY TO
ATTN OF

M/S 329

Re: Drinking Water Well for New Home

Redacted

The Environmental Protection Agency believes it is necessary to sample the drinking water well at the property referenced above in order to ensure that the water meets drinking water guidelines. The purpose of this letter is to request access to your property to obtain these samples. Please read, sign and return the enclosed access form to EPA as soon as possible. The completed form should be mailed to:

Lori Cohen
U.S. EPA Region 10
Mailstop 525
1200 Sixth Avenue
Seattle, WA 98101

Enclosed you will find a return envelope for this purpose.

EPA representatives, Jim Hileman and Marcia Knadle will be contacting you in order to arrange a convenient time to take these samples during the week of October 20, 1986.

If you have any questions, please call me at (206) 442-2712, or call Stan Vendetti at the Benton-Franklin District Health District at (509) 943-2614.

Thank you for your cooperation in this matter.

Sincerely,

Lori Cohen
Site Manager

Enclosure



U.S. ENVIRONMENTAL PROTECTION AGENCY
REGION 10
1200 SIXTH AVENUE
SEATTLE WASHINGTON 98101

M/S 329

Re: Irrigation Well at NE 1/4 of SE 1/4, T 9N, R 30 E
(Formerly Columbia East Partnership)

[REDACTED]

Redacted

The Environmental Protection Agency believes it is necessary to sample the irrigation well at the property referenced above. The purpose of this letter is to request access to your property to obtain these samples. Please read, sign and return the enclosed access form to EPA as soon as possible. The completed form should be mailed to:

Lori Cohen
U.S. EPA Region 10
Mailstop 525
1200 Sixth Avenue
Seattle, WA 98101

Enclosed you will find a return envelope for this purpose.

EPA representatives, Jim Hileman and Marcia Knadle will be contacting you in order to arrange a convenient time to take these samples during the week of October 20, 1986.

We anticipate needing to run the well for a maximum of an hour or two. Marcia Knadle discussed probable pumping costs with Bonnie Hickman (Engineer) at Franklin PUD, and was advised that the well is still energized so the only costs should be the actual kilowatt-hours (about \$2/hr. for a 135 hp pump).

If you have any questions, please call me at (206) 442-2712, or call Stan Vendetti at the Benton-Franklin District Health Department at (509) 943-2614.

Thank you for your cooperation in this matter.

Sincerely,

Lori Cohen
Site Manager

Enclosure



U.S. ENVIRONMENTAL PROTECTION AGENCY
REGION 10
1200 SIXTH AVENUE
SEATTLE, WASHINGTON 98101

RECEIVED
OCT 20 1986

M/S 329

Re: Bonnie Brae Trailer Park

~~REDACTED~~ Redacted

The Environmental Protection Agency believes it is necessary to sample the drinking water well at the property referenced above in order to ensure that the water meets drinking water guidelines. The purpose of this letter is to request access to your property to obtain these samples. Please read, sign and return the enclosed access form to EPA as soon as possible. The completed form should be mailed to:

Lori Cohen
U.S. EPA Region 10
Mailstop 525
1200 Sixth Avenue
Seattle, WA 98101

Enclosed you will find a return envelope for this purpose.

EPA representatives, Jim Hileman and Marcia Knadle will be contacting you in order to arrange a convenient time to take these samples during the week of October 20, 1986.

If you have any questions, please call me at (206) 442-2712, or call Stan Vendetti at the Benton-Franklin District Health District at (509) 943-2614.

Thank you for your cooperation in this matter.

Sincerely,

Lori Cohen
Site Manager

Enclosure